



Model

Live Display
Recording playback
Split Screen
Main monitor
Call monitor
Audio input / Audio Output
Freeze
Sequential switch
Live Digital Zoom
Watermark
Recording Mode
Pre-record Mode
Post-record time
Playback Search
Loss Detection
Motion Detection
Buzzer
Alarm Input / Output
Alarm set/unset; Panic
Push alarm notification
I/R remote
RS-232 / RS-485
3G Dongle support
Storage HDD
Partitions
Backup
Trigger
Event log
Multi-Language
System Recovery
Watch Dog Timer
Network
Web(GUI)

E-mail
FTP
Video
Audio
Protocol
Remote user
Remote stations
Password Security
Dimension / Weight
Power Consumption
Temperature

LDVR-A1600H

Realtime live display for 30/25fps each channel
AHD: 720P 240/200fps, 960H /FULL D1: 480/400fps
1/4/7/9/10/13/16CH
HDMI, VGA, BNC x1
BNC x1
8 RCA-jack connection / 2 RCA-jack connection (up to 2 Vrms)
Yes
User adjustable
x2, x4
Yes
Manual / Schedule / Motion
0~10 sec
0~60 minutes
Video loss, Event, Date/Time, Smart search
Yes
Support configurable detection area & sensitivity
Yes
16 / 4 (NC or NO)
Yes
Yes, to mobile phone
Yes
Yes / 2-PIN PTZ control
Yes
2x SATA HDDs (support 4TB/HDD), HDD Extension for 1 eSATA connect
Configurable "Motion partition size" and "Auto-overwrite"
USB 2.0
Video Loss, Motion, Alarm
Yes
YesAuto power on after power loss recovery
Yes
RJ-45 10/100 baseT Ethernet connector
Remote setup, monitoring backup, Remote software upgrade,
I.E software for multiple DVRs (64ch Display on Screen)
Configurable HTTP/Control/Data port
Alarm notification to stationary or mobile devices
Alarm video/audio file storage
1/4/5/10 split screen display & SEQ made for I.E; Electronics maps
Two directional
TCP/IP, HTTP, PPPoE, DHP, DDNS, FTP, TSP
Up to login 8 User
PC base, Smart phone, or PDA
Multi-level password(4 level, up to 18 accounts) protection
350(W) x 345(D) x 60(H)mm / 4.5 Kgs
+12VDC
0°C ~ +40°C